

From: [Moya, Ruben](#)  
To: [Kirst, Tina](#)  
Cc: [Tzhone, Stephen](#)  
Subject: FW: Results: Arkwood 7.30.12]  
Date: Monday, March 25, 2013 4:02:40 PM  
Attachments: [1207302\\_rev.pdf](#)

---

Tina,

Please incorporate this email and its attachments into SDMS for said site.

Thank You

Ruben Moya

---

**From:** Ruben Moya [mailto:Moya.Ruben@epamail.epa.gov]  
**Sent:** Monday, March 25, 2013 3:49 PM  
**To:** Moya, Ruben  
**Subject:** Fw: Results: Arkwood 7.30.12]

----- Forwarded by Ruben Moya/R6/USEPA/US on 03/25/2013 03:49 PM -----

From: "Mescher, Jean" <[Jean.Mescher@McKesson.com](mailto:Jean.Mescher@McKesson.com)>  
To: Ruben Moya/R6/USEPA/US@EPA, "Moix, Mark" <[MOIX@adeq.state.ar.us](mailto:MOIX@adeq.state.ar.us)>  
Date: 08/21/2012 11:02 AM  
Subject: Results: Arkwood 7.30.12]

---

Ruben and Mark,

Please see attached analytical data for the July 30 sampling. Please note that the sampling is generally conducted mid-month; however, we had a scheduling conflict in July. Also, since the original laboratory report did not have the weir results reported at the normal reporting level of 5.00 µg/l, we requested a revised report (attached). The results are as follows:

5.68 µg/l at the spring mouth and <5.00 µg/l at the weir.

Jean

**From:** [jflee@oxfordeands.com](mailto:jflee@oxfordeands.com) [mailto:[jflee@oxfordeands.com](mailto:jflee@oxfordeands.com)]  
**Sent:** Friday, August 17, 2012 4:21 PM  
**To:** Mescher, Jean  
**Subject:** [Results: Arkwood 7.30.12]

Jean,

Attached are the July monthly sampling results for the Arkwood project. Please let me know if you have any questions.

Best Regards,

*Jim*

James E. Fleer  
Principal Engineer

Oxford Environmental and Safety, Inc.  
913-706-3422  
[jfleur@oxfordeands.com](mailto:jfleur@oxfordeands.com)

----- Original Message -----

Subject: Revised Results: Arkwood 7.30.12  
From: "Amanda Forbush" <[afortbush@arkansasanalytical.com](mailto:afortbush@arkansasanalytical.com)>  
Date: Fri, August 17, 2012 3:54 pm  
To: "Jim Flee" <[jfleur@oxfordeands.com](mailto:jfleur@oxfordeands.com)>

Please take a moment of your time and reply to this email by answering the questions below:

1. Were you happy with the service you received?
2. Would you recommend us to a colleague?
3. How could we improve the services we provide to you?

Thanks,  
Amanda Forbush

Business Hours: Mon-Thur - 8am-5pm, Fri - 8am-4pm  
11701 Interstate 30  
Bldg. 1, Ste. 115  
Little Rock, AR 72209  
501-455-3233  
501-455-6118 (fax)

This e-mail and any attachments are confidential. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

This Email message contained an attachment named  
image001.jpg  
which may be a computer program. This attached computer  
program could  
contain a computer virus which could cause harm to EPA's  
computers,  
network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

*(See attached file: 1207302 rev.pdf)*